Polar Project





CONTENT

Patents

- AeroEagle Blade Design™
- AeroPierce Fin Technology™
- SmartFit™ Corner Design

A8 Apollo 140 Dual Tower

A6 Ares 140 Single Tower

H5 Harmonia

H3 Hemera 120 Single Tower Dual Fan Version

H3 Hemera 120 Single Tower

B1 Boreas 92 Low Profile

C1 Choco M.2 SSD Heatsink

Polar Project

PATENTS





AeroPierce Fin Technology™

Featuring an innovative staggered perforated fin structure, AeroPierce™ precisely guides airflow through the fin array. Its optimized airflow path and reduced fin spacing allow for more fins and greater heat dissipation area, achieving efficient airflow and stable cooling performance.





AeroEagle Blade Design™

The innovative AeroEagle™ wing-shaped design adopts an angled airflow-guiding blade structure that forms both guiding and pressure surfaces, enhancing both airflow and static pressure without compromise — delivering powerful cooling performance with exceptional acoustic balance.

PATENTS

SmartFit™ Corner Design



SmartFit™ Corner Design is an innovative structural design developed for enhanced compatibility and installation flexibility. Each of the four fan corners can be independently detached, allowing users to adjust freely according to motherboard, memory, or cooler clearance to prevent interference. While maintaining a full-frame structure, the fan can also function as a case fan. Combining obstruction-free design and multi-purpose mounting, it delivers greater installation freedom and seamless system integration.

WHITE





Front fan

Rated Speed：500 ~ 1800 RPM ±10%
Air Flow：75.16 CFM
Air Pressure：2.81 mmH_2O

Center fan

Rated Speed：500 ~ 1450 RPM ±10%
Air Flow：90.16 CFM
Air Pressure：1.56 mmH_2O

TDP：260 W
Product Dimensions：
L138 mm × W142 mm × H164 mm



A8 APOLLO







BLACK

Front fan

Rated Speed：500 ~ 1800 RPM ±10%

Air Flow：75.16 CFM

Air Pressure：2.81 mmH_2O

Center fan

Rated Speed：500 ~ 1450 RPM ±10%

Air Flow：90.16 CFM

Air Pressure：1.56 mmH_2O

TDP：260 W

Product Dimensions：

L138 mm × W142 mm × H164 mm

A8 APOLLO

WHITE

A6 ARES







Rated Speed：500 ~ 1450 RPM ±10%
Air Flow：90.16 CFM
Air Pressure：1.56 mmH_2O
TDP：230 W
Product Dimensions：
L78 mm × W142 mm × H164 mm

A6 ARES

BLACK



Rated Speed：500 ~ 1450 RPM ±10%
Air Flow：90.16 CFM
Air Pressure：1.56 mmH_2O
TDP：230 W
Product Dimensions：L78 mm × W142 mm × H164 mm

WHITE

Rated Speed：500 ~ 1800 RPM ±10%
Air Flow：75.16 CFM
Air Pressure：2.81 mmH_2O
TDP：235W
Product Dimensions：L138 mm × W130 mm × H160 mm







H5 HARMONIA

H5 HARMONIA

BLACK



Rated Speed：500 ~ 1800 RPM ±10%
Air Flow：75.16 CFM
Air Pressure：2.81 mmH_2O
TDP：235W
Product Dimensions：L138 mm × W130 mm × H160 mm

WHITE
H3 HEMERA PLUS







Rated Speed：500 ~ 1800 RPM ±10%
Air Flow：75.16 CFM
Air Pressure：2.81 mmH_2O
TDP：220W
Product Dimensions：
L104 mm × W130 mm × H155 mm



BLACK
H3 HEMERA PLUS

Rated Speed：500 ~ 1800 RPM ±10%
Air Flow：75.16 CFM
Air Pressure：2.81 mmH_2O
TDP：220W
Product Dimensions：
L104 mm × W130 mm × H155 mm





WHITE







Rated Speed: 500 ~ 1800 RPM ±10%
Air Flow: 75.16 CFM
Air Pressure: 2.81 mmH_2O
TDP: 210W
Product Dimensions:
L78 mm × W130 mm × H155 mm

H3 HEMERA







BLACK

Rated Speed：500 ~ 1800 RPM ±10%
Air Flow：75.16 CFM
Air Pressure：2.81 mmH_2O
TDP：210W
Product Dimensions：
L78 mm × W130 mm × H155 mm

H3 HEMERA

WHITE

B1 BOREAS





Rated Speed：500 ~ 2500 RPM ±10%
Air Flow：32.69 CFM
Air Pressure：1.92 mmH_2O
TDP：170W
Product Dimensions：
L94 mm × W95 mm × H49 mm

B1 BOREAS

BLACK







Rated Speed：500 ~ 2500 RPM ±10%
Air Flow：32.69 CFM
Air Pressure：1.92 mmH_2O
TDP：170W
Product Dimensions：L94 mm × W95 mm × H49 mm

B L A C K

C1 CHOCO
M.2 SSD HEATSINK



Product Dimensions：L72 mm x W26.5 mm x H13.15 mm
Heatsink Dimensions：L72 mm × W22 mm × H9 mm
Material：Aluminum alloy
Weight：40 g





Polar Project

© 2026 Polar Project. All rights reserved.